

Amendments to the Claims:

Listing of Claims:

1. (Previously Presented) A process for the production of alkyl salicylic acids comprising reacting salicylic acid with an olefin having at least four carbon atoms at an elevated temperature in the range of from about 50°C to about 200°C in the presence of a perfluoroalkylsulfonic acid, an alkylsulfonic acid, or an acidic clay as a catalyst.
2. (Previously Presented) The process of claim 1 wherein the catalyst is anhydrous methanesulfonic acid.
3. (Original) The process of claim 1 wherein the olefin is selected from the group consisting of isobutylene, propylene trimer, propylene tetramer, 1-hexene, 1-octene, 1-decene, 1-dodecene, 1-tetradecene, 1-hexadecene, 1-octadecene, 1-eicosene, 1-docosene, 1-tetracosene, and mixtures of the foregoing.
4. (Original) The process of claim 2 wherein the olefin is selected from the group consisting of isobutylene, propylene trimer, propylene tetramer, 1-hexene, 1-octene, 1-decene, 1-dodecene, 1-tetradecene, 1-hexadecene, 1-octadecene, 1-eicosene, 1-docosene, 1-tetracosene, and mixtures of the foregoing.
5. (Canceled)

6. (Previously Presented) The process of claim 1 wherein said elevated temperature is in the range of from about 120° to about 160° C.
7. (Previously Presented) A composition comprising an alkyl salicylic acid prepared by a process comprising reacting salicylic acid with an olefin having at least four carbon atoms at an elevated temperature in the range of from about 50°C to about 200°C in the presence of a perfluoroalkylsulfonic acid, an alkylsulfonic acid, or an acidic clay as a catalyst.
8. (Previously Presented) The composition of claim 7 wherein the catalyst is anhydrous methanesulfonic acid.
9. (Original) The composition of claim 7 wherein the olefin is selected from the group consisting of isobutylene, propylene trimer, propylene tetramer, 1-hexene, 1-octene, 1-decene, 1-dodecene, 1-tetradecene, 1-hexadecene, 1-octadecene, 1-eicosene, 1-docosene, 1-tetracosene, and mixtures of the foregoing.
10. (Original) The composition of claim 8 wherein the olefin is selected from the group consisting of isobutylene, propylene trimer, propylene tetramer, 1-hexene, 1-octene, 1-decene, 1-dodecene, 1-tetradecene, 1-hexadecene, 1-octadecene, 1-eicosene, 1-docosene, 1-tetracosene, and mixtures of the foregoing.

Appl. No. 10/691,390
Amdt. dated April 29, 2005
Further Reply to Office Action of February 9, 2005

11. (Canceled)
12. (Previously Presented) The composition of claim 7 wherein said elevated temperature is in the range of from about 120° to about 160° C.
13. (Canceled)
14. (New) The method of claim 1 wherein the olefin comprises a mixture of C₁₄-C₁₈ α -olefins.
15. (New) The method of claim 1 wherein the olefin comprises a blend of C₂₀, C₂₂, and C₂₄ α -olefins.
16. (New) The method of claim 1 wherein the olefin comprises propylene pentamer.
17. (New) The method of claim 1 wherein the olefin comprises 2-methyl-1-undecene.
18. (New) The composition of claim 7 wherein the olefin comprises a mixture of C₁₄-C₁₈ α -olefins.

Appl. No. 10/691,390
Amdt. dated April 29, 2005
Further Reply to Office Action of February 9, 2005

19. (New) The composition of claim 7 wherein the olefin comprises a blend of C₂₀, C₂₂, and C₂₄ α -olefins.
20. (New) The composition of claim 7 wherein the olefin comprises propylene pentamer.
21. (New) The composition of claim 7 wherein the olefin comprises 2-methyl-1-undecene.